

SOAP DADDY LLC

Safety Data Sheet DQ4

SECTION 1: Identification

1.1 Product identifier

Product name DQ4

Brand Soap Daddy

1.3 Recommended use of the chemical and restrictions on use

Quaternary Ammonium Sanitizer

1.4 Supplier's details

Name Soap Daddy LLC Address 2911 E 81 St Suite D

Kansas City, Missouri 64131

United States

Telephone 816-352-1720

email info@mysoapdaddy.com

1.5 Emergency phone number(s) INFOTRAC

1-800-535-5053

SECTION 2: Hazard identification

General hazard statement

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 2A
- Skin corrosion/irritation, Cat. 2

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H315 Causes skin irritation
H319 Causes serious eve irritation

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H225 Highly flammable liquid and vapor

Precautionary statement(s)

P264 Wash ... thoroughly after handling.
P280 Wear eye protection/face protection.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P321 Specific treatment (see ... on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Formula 64 - 17 - 5

Hazardous components

1. 1-Decanaminium, n,n-dimethyl-n-octyl-, chloride (1:1)

Concentration 1.5 - 3 % (weight) CAS no. 32426-11-2

2. 1-Octanaminium, n,n-dimethyl-n-octyl-, chloride (1:1)

Concentration 0.5 - 2 % (weight) CAS no. 5538-94-3

3. Didecyldimethylammonium chloride

Concentration 0.5 - 2 % (weight)

EC no. 230-525-2 CAS no. 7173-51-5 Index no. 612-131-00-6

Acute toxicity, oral, Cat. 4Skin corrosion/irritation, Cat. 1B

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

4. Quaternary ammonium compounds, benzyl-c12-16-alkyldimethyl, chlorides

Concentration 2.5 - 4 % (weight) CAS no. 68424-85-1

5. Ethanol

 Concentration
 < 2 % (weight)</td>

 EC no.
 200-578-6

 CAS no.
 64-17-5

 Index no.
 603-002-00-5

- Flammable liquids, Cat. 2

H225 Highly flammable liquid and vapor

Trade secret statement (OSHA 1910.1200(i))

The exact percentage (concentration) of composition has been withheld as a trade secret

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice Call a poison control center or doctor immediately for treatment advice. Show

this safety data sheet to the doctor in attendance.

If inhaled Remove person to fresh air and keep comfortable for breathing. Call a poison

center or doctor if you feel unwell.

In case of skin contact Wash with plenty of water for at least 15 minutes. Call a poison center or

doctor if irritation develops or persists. Take off contaminated clothing and

wash it before reuse.

Acute and delayed symptoms and effects: Causes skin irritation.

Signs/symptoms may include localized redness, swelling, and itching.

In case of eye contact Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor.

Acute and delayed symptoms and effects: Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or

complete loss of vision.

If swallowed Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or

doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: Harmful if swallowed. Causes burns to nose, mouth, throat, and digestive tract. Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and

diarrhea, blood in the feces and/or vomitus may also be seen.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Ethanol: Carbon oxides

5.3 Special protective actions for fire-fighters

Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, or spray. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

See Section 12 for ecological Information.

6.3 Methods and materials for containment and cleaning up

Stop leak if you can do it without risk. Sweep up and shovel into suitable containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not swallow. Do not breathe mist, vapors, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. See Section 8 for information on Personal Protective Equipment.

7.2 Conditions for safe storage, including any incompatibilities

Store locked up. Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Ethyl alcohol (ethanol) (CAS: 64-17-5)

PEL (Inhalation): 1000 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 1900 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms









Eye/face protection

If splashes as likely to occur: Wear tightly fitting safety goggles. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear rubber or neoprene gloves.

Body protection

Wear protective clothing. Clothing with full length sleeves and pants should be worn. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

N/A

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)

Purple Liquid

Odor

Odor threshold No data available.

pH 6.5 - 8

Melting point/freezing point

No data available.

Initial boiling point and boiling range

No data available.

Flash point >200

Evaporation rate
Flammability (solid, gas)
Upper/lower flammability limits
Upper/lower explosive limits
Vapor pressure

Vapor density Relative density Solubility(ies)

Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature

Viscosity

Explosive properties Oxidizing properties

Other safety information

No data available.

No data available.
No data available.
No data available.
No data available.
No data available.
No data available.
1.01 - 1.5

Soluble
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Ethanol: Alkali metals, Oxidizing agents, Peroxides

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Ethanol: ACGIH: A3 Confirmed animal carcinogen with unknown relevance to humans.

ETHANOL

LD50 Oral - Rat - 10,470 mg/kg

ETHANOL

LD50 Skin - Rabbit - 15,800 mg/kg

ETHANOL

LD50 Inhalation - Rat - 30,000 mg/l - 4 h

Skin corrosion/irritation

Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

Serious eye damage/irritation

Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Respiratory or skin sensitization

May cause an allergic skin reaction

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Germ cell mutagenicity

No data available.

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH,NTP, or EPA classification

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Additional information

No data available.

SECTION 12: Ecological information

Toxicity

No data available on product

Persistence and degradability

No data available on product

Bioaccumulative potential

No data available on product

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

SECTION 13: Disposal considerations

Disposal of the product

Diluted product can be flushed to sanitary sewer. Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Disposal of contaminated packaging

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

SECTION 14: Transport information

DOT (US)

UN Number: 1903

Class: 8

Packing Group: PGII

Proper Shipping Name: Disinfectants, Corrosive, liquid n.o.s. (Quaternary Ammonium Compounds)

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

New Jersey Right To Know Components

No components are subject to the New Jersey Right To Know Act.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own

investigation to determine the suitability of information for their particular purposes. In no event shall Soap Daddy LLC be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Soap Daddy LLC has been advised of the possibility of such damages.