



SOAP DADDY LLC

Safety Data Sheet Prime-Slime

SECTION 1: Identification

Product identifier

Product name Prime-Slime

Product number Prime-Slime
Brand Soap Daddy

Recommended use of the chemical and restrictions on use

Stain Remover

Supplier's details

Name Soap Daddy LLC
Address 2911 E 81 St Suite D
Kansas City, Missouri 64131
United States

Telephone 816-352-1720
email info@mysoapdaddy.com

Emergency phone number(s)

INFOTRAC

1-800-535-5053

SECTION 2: Hazard identification

General hazard statement

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Acute toxicity, oral, Cat. 4
- Sensitization, skin, Cat. 1
- Eye damage/irritation, Cat. 2A
- Acute toxicity, inhalation, Cat. 4

Safety Data Sheet

Prime-Slime

GHS label elements, including precautionary statements

Pictogram



Hazard statement(s)

H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled

Precautionary statement(s)

P264	Wash ... thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P301+P312	IF SWALLOWED: Call a POISON CENTER /doctor/...if you feel unwell,
P330	Rinse mouth.
P501	Dispose of contents/container to ...
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/...
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see ... on this label).
P363	Wash contaminated clothing before reuse.
P280	Wear eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P271	Use only outdoors or in a well-ventilated area.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor/.../ if you feel unwell.

SECTION 3: Composition/information on ingredients

Mixtures

Components

Component	Concentration
Sodium metasilicate pentahydrate (CAS no.: 6834-92-0; EC no.: 229-912-9; Index no.: 014-010-00-8)	> 1 - 50 % (weight)
CLASSIFICATIONS: Specific target organ toxicity (single exposure), Cat. 3; Skin corrosion/irritation, Cat. 1B. HAZARDS: H314 - Causes severe skin burns and eye damage; H335 - May cause respiratory irritation.	
Sodium tripolyphosphate (CAS no.: 7758-29-4; EC no.: 231-838-7)	> 1 - < 50 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
Component 3 (trade secret)	> 1 - < 50 % (weight)
CLASSIFICATIONS: Skin corrosion/irritation, Cat. 2; Serious eye damage/eye irritation, Cat. 2; Acute toxicity, dermal, Cat. 4; Acute toxicity, inhalation, Cat. 4; Acute toxicity, oral, Cat. 4. HAZARDS: H302 - Harmful if swallowed; H312 - Harmful in contact with skin; H315 - Causes skin irritation; H319 - Causes serious eye irritation; H332 - Harmful if inhaled.	
D-limonene (CAS no.: 5989-27-5; EC no.: 227-813-5)	< 1 - < 50 % (weight)
CLASSIFICATIONS: Aspiration hazard, Cat. 1; Flammable liquids, Cat. 3; Hazardous to the aquatic environment - acute hazard, Cat. 1; Hazardous to the aquatic environment - long-term hazard, Cat. 1; Sensitization, skin, Cat. 1; Skin corrosion/irritation, Cat. 2. HAZARDS: H226 - Flammable liquid and vapor; H304 - May be fatal if swallowed and enters airways; H315 - Causes skin irritation; H317 - May cause an allergic skin reaction; H400 - Very toxic to aquatic life; H410 - Very toxic to aquatic life with long lasting effects.	

SECTION 4: First-aid measures

Safety Data Sheet

Prime-Slime

Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Wash contaminated clothing before reuse. Acute and delayed symptoms and effects: Causes severe skin burns. Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention/advice. Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
If swallowed	Rinse mouth. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: Harmful if swallowed. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical

D-Limonene: Carbon oxides

Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Safety Data Sheet

Prime-Slime

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, spray. Ensure adequate ventilation.

Evacuate personnel to safe areas.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Do not swallow. Do not breathe mist, vapors, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. See Section 8 for information on Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities

Store locked up. Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: (not specified)

Component 3 (trade secret)

ACGIH (USA): 20 ppm TLV® inhalation; 20 ppm TWA inhalation; Cal/OSHA: 20 ppm PEL inhalation; NIOSH: 5 ppm REL inhalation; OSHA: 240 mg/m³ PEL inhalation

CAS: 5989-27-5 (EC: 227-813-5)

D-limonene

ACGIH: 20 ppm TLV® inhalation

CAS: 7758-29-4 (EC: 231-838-7)

Sodium tripolyphosphate

OSHA: STEL inhalation

Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

Individual protection measures, such as personal protective equipment (PPE)

Safety Data Sheet

Prime-Slime

Pictograms



Eye/face protection

Safety glasses. If splash hazard, wear faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Ensure that eyewash stations and/or safety showers are close to the workstation location if working with concentrated product.

Skin protection

Wear protective gloves. Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. Clothing with full length sleeves and pants should be worn. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Orange Gel
Odor	Citrus
Odor threshold	No data available.
pH	11-12
Melting point/freezing point	No data available.
Initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	1.05 1.10
Solubility(ies)	No data available.
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

Other safety information

Safety Data Sheet

Prime-Slime

No data available.

SECTION 10: Stability and reactivity

Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

Chemical stability

Stable under normal storage conditions.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Sodium metasilicate pentahydrate : Strong oxidizing agents

Sodium tripolyphosphate: Strong acids, Strong oxidizing agents

Hazardous decomposition products

Sodium tripolyphosphate: Hazardous decomposition products formed under fire conditions. - Oxides of phosphorus, Sodium oxides

Other decomposition products - No data available

In the event of fire: see section 5

2-Butoxyethanol: Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Ingestion: Causes burns to nose, mouth, throat, and digestive tract. Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea, blood in the feces and/or vomitus may also be seen.

ATE (inhalation, gaseous) of mixture: 45000 ppmv

ATE (oral) of mixture: 5000 mg/kg

ATE (inhalation, gaseous) of mixture: 45000 ppmv

ATE (oral) of mixture: 5000 mg/kg

Skin corrosion/irritation

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Safety Data Sheet

Prime-Slime

Germ cell mutagenicity

No data available.

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

May be harmful if swallowed and enters airways

Additional information

No data available.

SECTION 12: Ecological information

Toxicity

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal of the product

Safety Data Sheet

Prime-Slime

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Disposal of contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pentasodium triphosphate

CAS-No. 7758-29-4

Ethylene glycol monobutyl ether

CAS: 111-76-2

D-Limonene

New Jersey Right To Know Components

Disodium metasilicate pentahydrate

CAS-No. 10213-79-3

Pentasodium triphosphate

CAS-No. 7758-29-4

Ethylene glycol monobutyl ether

CAS: 111-76-2

D-Limonene

Pennsylvania Right To Know Components

Disodium metasilicate pentahydrate

CAS-No. 10213-79-3

Safety Data Sheet

Prime-Slime

Pentasodium triphosphate
CAS-No. 7758-29-4

Ethylene glycol monobutyl ether
CAS: 111-76-2

D-Limonene

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Acute Health Hazard

No SARA Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


The following components are subject to reporting levels established by SARA Title III, Section 313:

Ethylene glycol monobutyl ether
CAS: 111-76-2

HMIS Rating

Prime-Slime	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

NFPA Rating



SECTION 16: Other information

Further information/disclaimer

Safety Data Sheet

Prime-Slime

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Soap Daddy be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Soap Daddy has been advised of the possibility of such damages.

Preparation information

Soap Daddy